

Environmental Research Letters



EDITORIAL

Warning signs for stabilizing global CO₂ emissions

OPEN ACCESS

RECEIVED
18 October 2017

ACCEPTED FOR PUBLICATION
27 October 2017

PUBLISHED
13 November 2017

Original content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#).

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



R B Jackson^{1,7} , C Le Quéré² , R M Andrew³ , J G Canadell⁴, G P Peters³ , J Roy⁵ and L Wu⁶

¹ Department of Earth System Science, Woods Institute for the Environment, and Precourt Institute for Energy, Stanford University, Stanford, CA 94305-2210, United States of America

² Tyndall Centre for Climate Change Research, University of East Anglia, Norwich NR4 7TJ, United Kingdom

³ CICERO Center for International Climate Research, P.O. Box 1129 Blindern, 0318 Oslo, Norway

⁴ Global Carbon Project, CSIRO, Oceans and Atmosphere, Canberra, ACT 2601, Australia

⁵ Department of Economics, Jadavpur University, Kolkata, India

⁶ School of Economics, Fudan University, People's Republic of China

⁷ Author to whom any correspondence should be addressed.

E-mail: rob.jackson@stanford.edu

Keywords: climate change, fossil fuel and industrial CO₂ emissions, global carbon budget, greenhouse gas emissions

Abstract

Carbon dioxide (CO₂) emissions from fossil fuels and industry comprise ~90% of all CO₂ emissions from human activities. For the last three years, such emissions were stable, despite continuing growth in the global economy. Many positive trends contributed to this unique hiatus, including reduced coal use in China and elsewhere, continuing gains in energy efficiency, and a boom in low-carbon renewables such as wind and solar. However, the temporary hiatus appears to have ended in 2017. For 2017, we project emissions growth of 2.0% (range: 0.8%–3.0%) from 2016 levels (leap-year adjusted), reaching a record 36.8 ± 2 Gt CO₂. Economic projections suggest further emissions growth in 2018 is likely. Time is running out on our ability to keep global average temperature increases below 2 °C and, even more immediately, anything close to 1.5 °C.

Global temperatures continue to rise. The five warmest years of average global temperatures have all occurred since 2010, and 16 of the 17 hottest years on record have come since 2000 (NOAA 2017). This year is on track to be the second warmest year after last year's peak. Reducing greenhouse gas emissions remains a priority for industrial and land-based activities (Seneviratne *et al* 2016, Huntingford and Mercado 2016).

As temperatures continue to rise, a temporary stabilization in CO₂ emissions from fossil fuel use and industry between 2014 and 2016 appears to be ending, at least in 2017 (figure 1). From 2014–2016, global gross domestic product (GDP) rose steadily, accompanied by minimal growth of 0.4% yr⁻¹ in CO₂ emissions from fossil fuels and industry (Le Quéré *et al* 2016, 2017, Jackson *et al* 2016). This trend of rapid decoupling of emissions from economic output was driven firstly by improvements in energy efficiency and secondly by lower carbon intensities, including reduced coal use in China and the United States and growth in low-carbon renewables such as wind and solar in many parts of the world (Peters *et al* 2017). For 2017, however, we project emissions growth of 2.0% (range: 0.8%–3.0%) from 2016 levels (leap-year adjusted), reaching 36.8 ± 2 Gt CO₂ (10.0 ± 0.5 Gt C; Le Quéré *et al* 2017). The

projected increase is driven by sectoral and national changes, some of which we explore briefly below.

Despite a record installation of 161 GW of renewable generating capacity in 2016 (REN21 2017), global fossil fuel use continues to rise (figure 2). Global coal consumption dropped –1.7% in 2016 and by –0.7% averaged over the past five years, but is projected to increase in 2017. Global oil and natural gas use both rose ~1.5% in 2016. Oil consumption increased to 97 million barrels per day (bpd) and is expected to rise a further 1.7% in 2017 (IEA 2017). In fact, global demand for oil is expected to cross the 100 million bpd threshold within a few years, potentially surpassing coal as the largest source of CO₂ emissions within a decade (figure 2). Annual growth in total oil consumption of ~3% or more in the Asia-Pacific region has contributed the most to this increase, although consumption there is still at lower per capita rates than in the United States and the European Union.

One surprise over the past 15 years is how little change there has been in the CO₂ emissions per unit of primary energy consumption (figures 1 and 2). From 2000–2016, primary energy consumption and CO₂ emissions from fossil fuel use both increased ~40% globally (figure 1). In contrast, the fossil fuel





Figure 1. Upper panel: global CO₂ emissions from fossil-fuel use and industry (open circles) and gross world product expressed as purchasing power parity (filled squares; World Bank 2017) since 1990. The red symbols are projections for 2017. Lower panel: relative to year 2000, gross domestic product, global CO₂ emissions from fossil-fuel use and industry, global energy use (BP 2017), CO₂ intensity of the energy system (global CO₂ emissions from fossil-fuel use and industry divided by global energy use), and energy intensity of the global economy (global energy use divided by global GDP) from 1990–2017.

use per unit of GDP decreased steadily, driven primarily by greater energy efficiency and structural change (e.g. lower primary energy consumption per unit GDP; figure 1). The global economy is using less energy to produce a unit of wealth, partially because of the higher relative growth of low-carbon products and services. However, the additional energy used to produce more goods still comes primarily from fossil fuels. From 2000–2016, ~80% of the increased primary energy supply (~4 billion tonnes of oil equivalents globally) is attributable to new oil, coal, and natural gas production, with coal supply increasing the most (figure 2).

National emissions changed substantially in 2017 compared to 2016 for several countries (figure 3). China's CO₂ emissions were stable in 2016 but are projected to rise 3.5% to 10.5 Gt CO₂ this year (range 10.2–10.7 Gt CO₂); coal, oil, and natural gas use are expected to increase ~3.0%, 5.0%, and 12%, respectively (Le Quéré *et al* 2017). In contrast, we expect

India's emissions to rise only 2.0% in 2017 to 2.5 Gt CO₂ (range 2.4–2.5 Gt CO₂), compared to an increase of 6.7% in 2016 and an annual average increase of almost 6% over the past decade. Although India's installed solar capacity almost doubled in 2016 to 12 GW, the reduction in this year's growth is attributable to many factors, including reduced exports, a declining share of industrial and agricultural production in GDP, reduced consumer demand, and both a sudden fall in money circulation attributable to demonetization late in 2016, and a goods and services tax introduced in 2017. If India's economy recovers quickly from these interventions, emissions growth there would be expected to return to previous levels of more than 5% in 2018. Modest reductions in 2017 of –0.4% and –0.2% projected for the United States (5.3 Gt CO₂; range 5.2–5.4 Gt CO₂) and the European Union (3.5 Gt CO₂; range 3.4–3.5 Gt CO₂), respectively, are not large enough to offset increases in China, India, and the rest of the world, where CO₂ emissions are expected to




rise 2.3% in 2017 to 15.1 Gt CO₂ (14.8–15.3 Gt CO₂) based on projected increases in GDP (Le Quéré *et al* 2017).

Whether CO₂ emissions will continue to rise in 2018 and beyond is unclear. One positive sign is the number of countries where emissions are declining. Over the past decade, 22 countries have seen GDP growth while CO₂ emissions from fossil fuel and industry declined significantly (95% confidence level): Austria, Belgium, Bulgaria, Czech Republic, Denmark, France, Hungary, Ireland, Latvia, Lithuania, Luxembourg, Macedonia, Malta, Netherlands,

Poland, Romania, Serbia, Slovakia, Sweden, Switzerland, United Kingdom, and United States (Le Quéré *et al* 2017). These countries comprise 20% of such emissions globally.

Despite this good news, short-term emissions growth appears likely. The World Bank projects global growth in GDP to reach 2.9% in 2018, its highest value since 2011, with the IMF's projection of 3.7% even higher. Producing more goods could increase fossil fuel emissions despite downward pressure from improved energy efficiency and low-carbon fuels. Regardless of the precise growth rate, fossil fuel emissions remain



at historic highs, reaching a record level of 36.8 ± 2 Gt CO₂ in 2017. At current annual rates of ~ 41 Gt CO₂ for fossil fuels, industrial and land-use emissions combined (Le Quéré *et al* 2017), time is running out on our ability to keep global average temperature increases below 2 °C and, even more immediately, anything close to 1.5 °C (Rogelj *et al* 2015). Nothing short of deep and rapid decarbonization will keep the Earth from surpassing the 1.5 °C average temperature threshold in as little as a decade, and 2 °C a few decades after that.

Acknowledgments

The authors acknowledge the many scientists and funding agencies whose efforts and support contributed to the Global Carbon Budget 2017 released by the Global Carbon Project (globalcarbonproject.org). We acknowledge support from Stanford University, Future Earth, and the Gordon and Betty Moore Foundation (RBJ), the Australian Government's National Environmental Science Programme's Earth Systems and Climate Change Hub (JGC), and the Norwegian Research Council (Project #209701) (GPP and RMA).

ORCID iDs

R B Jackson <https://orcid.org/0000-0001-8846-7147>
Corinne Le Quere <https://orcid.org/0000-0003-2319-0452>

R M Andrew <https://orcid.org/0000-0001-8590-6431>

G P Peters <https://orcid.org/0000-0001-7889-8568>

References

- BP 2017 BP Statistical Review of World Energy *Report* 66th edn (London: BP)
- Huntingford C and Mercado L M 2016 High chance that current atmospheric greenhouse concentrations commit to warmings greater than 1.5 °C over land *Sci. Rep.* **6** 30294
- International Energy Administration 2017 (www.iea.org/oilmarketreport/omrpublic/)
- Jackson R B, Canadell J G, Le Quéré C, Andrew R M, Korsbakken J I, Peters G P and Nakicenovic N 2016 Reaching peak emissions *Nat. Clim. Change* **6** 7–10
- Le Quéré C *et al* 2016 Global carbon budget 2016 *Earth Syst. Sci. Data* **8** 605–49
- Le Quéré C *et al* 2017 Global carbon budget 2017 *Earth Syst. Sci. Data Discuss.* accepted (<https://doi.org/10.5194/essd-2017-123>)
- National Oceanic and Atmospheric Administration 2017 (www.noaa.gov/climate)
- Peters G P, Andrew R M, Canadell J G, Fuss S, Jackson R B, Ivar Korsbakken J, Le Quéré C and Nakicenovic N 2017 Key indicators to track current progress and future ambition of the Paris agreement *Nat. Clim. Change* **7** 118–22
- REN21 2017 Renewables 2017 *Global Status Report* (Paris: REN21 Secretariat)
- Rogelj J, Luderer G, Pietzcker R C, Kriegler E, Schaeffer M, Krey V and Riahi K 2015 Energy system transformations for limiting end-of-century warming to below 1.5 °C *Nat. Clim. Change* **5** 519–27
- Seneviratne S I, Donat M G, Pitman A J, Knutti R and Wilby R L 2016 Allowable CO₂ emissions based on regional and impact-related climate targets *Nature* **529** 477–83
- World Bank 2017 (<https://data.worldbank.org/indicator/NY.GDP.MKTP.KD.ZG>)